

1/23

FIGURE 1





FIGURE 2



3/23

FIGURE 3




FIGURE 4A




FIGURE 4B






FIGURE 4C



4/23

5/23


FIGURE 5



6/23


Map of Human *BCL-6* Locus

FIGURE 6



7/23
FIGURE 7

pGSc4.0 Plasmid Construction



Lambda-SM71 = a recombinant Lambda phage clone
containing *Bcl-6* breakpoint

H = Hind III

R = EcoR I


S = Sac I

X = Xba I

8/23

FIGURE 8

pGb3I and pGB3s Plasmids Construction



9/23

cDNA and Amino Acid Sequences of BCL-6

FIGURE 9A

10/23

FIGURE 9B

11/23

FIGURE 9C

412 P A C Q P P M E P B N L D L Q S P T K L S A S G E D S T I P Q A S R L N N I V N 451

12/23

FIGURE 9D

FIGURE 10A





FIGURE 10B

1 MASPADSCIQ FTRHASDVLL NLNRLRSRDI LTDVVIWSR EQFRAHKTVL
51 MACSGLFYSI FTDQLKCNLS VINLDPEINP EGFCILDFM YTSRLNLREG
101 NIMAVMATAM YLQMEHVVDT CRKFIKASEA EMVSAIKPPR EEFLNSRMLM
151 PQDIMAYRGR EVVENNPLR SAPGCESRAF APSLYSGLST PPASYSMYSH
201 LPVSSLLFSD EEFRDVRMPV ANPFPKERAL PCDSARPVPG EYSRPTLEVS
251 PNVCHSNIYS PKETIPEEAR SDMHYSVAEG LKPAAPSARN APYFPCDKAS
301 KEEERPSSED EIALHFEPPN APLNRKGLVS PQSPQKSDCQ PNSPTEACSS
351 KNACILQASG SPPAKSPTDP KACNWKKYKF IVLNSLNQNA KPGGPEQAEL
401 GRLSPRAYTA PPACQPPMEP ENLDLQSPTK LSASGEDSTI PQASRLNNIV
451 NRSMTGSPRS SSESHSPLYM HPPKCTSCGS QSPQHAEMCL HTAGPTFAEE
501 MGETQSEYSD SSCENGAFFC NECDCRFSEE ASLKRHTLQT HSDKPYKCDR
551 CQASFYKGN LASHKTVHTG EKPYRCNICG AQFNRPANLK THTRTHSGEK
601 PYKCETCGAR FVQVAHLRAH VLIHGEKPY PCEICGTRFR HLOTLKSHLR
651 IHGEKPYH EKCNLHFRHK SQREHLRQK HGAITNTKVQ YRVSATDLPP
701 ELPKAC

FIGURE 11

16/23

FIGURE 12



17/23

FIGURE 13A




FIGURE 13B



FIGURE 14C



FIGURE 14B




FIGURE 14A

FIGURE 15




FIGURE 16A



FIGURE 16B





FIGURE 16C



21/23

FIGURE 17A






FIGURE 17B



22/23

FIGURE 18A



23/23

FIGURE 18B

